

AMC 12 PRACTICE ARCHIVE

2022

12A and 12B papers + answer keys

Contents

AMC 12A paper	13 pages	starts p. 2
AMC 12A answer key	1 page	starts p. 15
AMC 12B paper	11 pages	starts p. 16
AMC 12B answer key	1 page	starts p. 27

Source and use note

The contest papers are reproduced from the free ZIML AMC 12 practice archive. The questions remain copyrighted by the Mathematical Association of America. Answer keys were cross-checked against the MAA-authorized LIVE archive and MathHub.

Paper archive: [ZIML / Areteem](#)

Answer archive: [LIVE by Po-Shen Loh](#)

Cross-check: [MathHub](#)



2022 AMC 12A

For more practice and resources, visit ziml.aretteam.org

The problems in the AMC-Series Contests are copyrighted
by American Mathematics Competitions at Mathematical
Association of America (www.maa.org).



Question 1

Not yet answered

Points out of 6

What is the value of

$$3 + \frac{1}{3 + \frac{1}{3 + \frac{1}{3}}}$$

- (A) $\frac{31}{10}$ (B) $\frac{49}{15}$ (C) $\frac{33}{10}$ (D) $\frac{109}{33}$ (E) $\frac{15}{4}$

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 2

Not yet answered

Points out of 6

The sum of three numbers is 96. The first number is 6 times the third number, and the third number is 40 less than the second number. What is the absolute value of the difference between the first and second numbers?

- (A) 1 (B) 2 (C) 3 (D) 4 (E) 5

Select one:


- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 3

Not yet answered

Points out of 6

Five rectangles, A , B , C , D , and E , are arranged in a square as shown below. These rectangles have dimensions 1×6 , 2×4 , 5×6 , 2×7 , and 2×3 , respectively. (The figure is not drawn to scale.) Which of the five rectangles is the shaded one in the middle?



(A) A (B) B (C) C (D) D (E) E

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 4

Not yet answered

Points out of 6

The least common multiple of a positive divisor n and 18 is 180, and the greatest common divisor of n and 45 is 15. What is the sum of the digits of n ?

(A) 3 (B) 6 (C) 8 (D) 9 (E) 12

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 5

Not yet answered

Points out of 6

The *taxicab distance* between points (x_1, y_1) and (x_2, y_2) in the coordinate plane is given by $|x_1 - x_2| + |y_1 - y_2|$. For how many points P with integer coordinates is the taxicab distance between P and the origin less than or equal to 20?

(A) 441 (B) 761 (C) 841 (D) 921 (E) 924

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 6

Not yet answered

Points out of 6

A data set consists of 6 (not distinct) positive integers: 1, 7, 5, 2, 5, and X . The average (arithmetic mean) of the 6 numbers equals a value in the data set. What is the sum of all positive values of X ?

(A) 10 (B) 26 (C) 32 (D) 36 (E) 40

Select one:


- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 7

Not yet answered

Points out of 6

A rectangle is partitioned into 5 regions as shown. Each region is to be painted a solid color - red, orange, yellow, blue, or green - so that regions that touch are painted different colors, and colors can be used more than once. How many different colorings are possible?



- (A) 120 (B) 270 (C) 360 (D) 540 (E) 720

Select one:

- ☐ A
☐ B
☐ C
☐ D
☐ E
☐ Leave blank (1.5 points)

Question 8

Not yet answered

Points out of 6

The infinite product

$$\sqrt[3]{10} \cdot \sqrt[3]{\sqrt[3]{10}} \cdot \sqrt[3]{\sqrt[3]{\sqrt[3]{10}}} \dots$$

evaluates to a real number. What is that number?

- (A) $\sqrt{10}$ (B) $\sqrt[3]{100}$ (C) $\sqrt[4]{1000}$ (D) 10 (E) $10\sqrt[3]{10}$

Select one:

- ☐ A
☐ B
☐ C
☐ D
☐ E
☐ Leave blank (1.5 points)

Question 9

Not yet answered

Points out of 6

On Halloween 31 children walked into the principal's office asking for candy. They can be classified into three types: Some always lie; some always tell the truth; and some alternately lie and tell the truth. The alternaters arbitrarily choose their first response, either a lie or the truth, but each subsequent statement has the opposite truth value from its predecessor. The principal asked everyone the same three questions in this order.

"Are you a truth-teller?" The principal gave a piece of candy to each of the 22 children who answered yes.

"Are you an alternater?" The principal gave a piece of candy to each of the 15 children who answered yes.

"Are you a liar?" The principal gave a piece of candy to each of the 9 children who answered yes.

How many pieces of candy in all did the principal give to the children who always tell the truth?

(A) 7 (B) 12 (C) 21 (D) 27 (E) 31

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 10

Not yet answered

Points out of 6

How many ways are there to split the integers 1 through 14 into 7 pairs such that in each pair, the greater number is at least 2 times the lesser number?

(A) 108 (B) 120 (C) 126 (D) 132 (E) 144

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 11

Not yet answered

Points out of 6

What is the product of all real numbers x such that the distance on the number line between $\log_6 x$ and $\log_6 9$ is twice the distance on the number line between $\log_6 10$ and 1?

(A) 10 (B) 18 (C) 25 (D) 36 (E) 81

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 12

Not yet answered

Points out of 6

Let M be the midpoint of AB in regular tetrahedron $ABCD$. What is $\cos(\angle CMD)$?

(A) $\frac{1}{4}$ (B) $\frac{1}{3}$ (C) $\frac{2}{5}$ (D) $\frac{1}{2}$ (E) $\frac{\sqrt{3}}{2}$

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 13

Not yet answered

Points out of 6

Let $\mathcal{R}$ be the region in the complex plane consisting of all complex numbers z that can be written as the sum of complex numbers z_1 and z_2 , where z_1 lies on the segment with endpoints 3 and $4i$, and z_2 has magnitude at most 1. What integer is closest to the area of $\mathcal{R}$?

(A) 13 (B) 14 (C) 15 (D) 16 (E) 17

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 14

Not yet answered

Points out of 6

What is the value of

$$(\log 5)^3 + (\log 20)^3 + (\log 8)(\log 0.25)$$

where $\log$ denotes the base-ten logarithm?

(A) $\frac{3}{2}$ (B) $\frac{7}{4}$ (C) 2 (D) $\frac{9}{4}$ (E) 3

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 15

Not yet answered

Points out of 6

The roots of the polynomial $10x^3 - 39x^2 + 29x - 6$ are the height, length, and width of a rectangular box (right rectangular prism). A new rectangular box is formed by lengthening each edge of the original box by 2 units. What is the volume of the new box?

(A) $\frac{24}{5}$ (B) $\frac{42}{5}$ (C) $\frac{81}{5}$ (D) 30 (E) 48

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 16

Not yet answered

Points out of 6

A triangular number is a positive integer that can be expressed in the form $t_n = 1 + 2 + 3 + \cdots + n$, for some positive integer n . The three smallest triangular numbers that are also perfect squares are $t_1 = 1 = 1^2$, $t_8 = 36 = 6^2$, and $t_{49} = 1225 = 35^2$. What is the sum of the digits of the fourth smallest triangular number that is also a perfect square?

Select one:

- ☐ **A**
- ☐ **B**
- ☐ **C**
- ☐ **D**
- ☐ **E**
- ☐ **Leave blank (1.5 points)**

Question 17

Not yet answered

Points out of 6

Suppose a is a real number such that the equation

$$a \cdot (\sin x + \sin(2x)) = \sin(3x)$$

has more than one solution in the interval $(0, \pi)$. The set of all such a that can be written in the form

$$(p, q) \cup (q, r),$$

where p, q , and r are real numbers with $p < q < r$. What is $p + q + r$?

(A) -4 **(B)** -1 **(C)** 0 **(D)** 1 **(E)** 4

Select one:

- ☐ **A**
- ☐ **B**
- ☐ **C**
- ☐ **D**
- ☐ **E**
- ☐ **Leave blank (1.5 points)**

Question 18

Not yet answered

Points out of 6

Let T_k be the transformation of the coordinate plane that first rotates the plane k degrees counterclockwise around the origin and then reflects the plane across the y -axis. What is the least positive integer n such that performing the sequence of transformations $T_1, T_2, T_3, \dots, T_n$ returns the point $(1, 0)$ back to itself?

(A) 359 (B) 360 (C) 719 (D) 720 (E) 721

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 19

Not yet answered

Points out of 6

Suppose that 13 cards numbered $1, 2, 3, \dots, 13$ are arranged in a row. The task is to pick them up in numerically increasing order, working repeatedly from left to right. In the example below, cards 1, 2, 3 are picked up on the first pass, 4 and 5 on the second pass, 6 on the third pass, 7, 8, 9, 10 on the fourth pass, and 11, 12, 13 on the fifth pass. For how many of the $13!$ possible orderings of the cards will the 13 cards be picked up in exactly two passes?

7	11	8	6	4	5	9	12	1	13	10	2	3
---	----	---	---	---	---	---	----	---	----	----	---	---

(A) 4082 (B) 4095 (C) 4096 (D) 8178 (E) 8191

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 20

Not yet answered

Points out of 6

Isosceles trapezoid $ABCD$ has parallel sides $\overline{AD}$ and $\overline{BC}$, with $BC < AD$ and $AB = CD$. There is a point P in the plane such that $PA = 1$, $PB = 2$, $PC = 3$, and $PD = 4$. What is $\frac{BC}{AD}$?

- (A) $\frac{1}{4}$ (B) $\frac{1}{3}$ (C) $\frac{1}{2}$ (D) $\frac{2}{3}$ (E) $\frac{3}{4}$

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 21

Not yet answered

Points out of 6

Let

$$P(x) = x^{2022} + x^{1011} + 1.$$

Which of the following polynomials is a factor of $P(x)$?

- (A) $x^2 - x + 1$ (B) $x^2 + x + 1$ (C) $x^4 + 1$
- (D) $x^6 - x^3 + 1$ (E) $x^6 + x^3 + 1$

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 22

Not yet answered

Points out of 6

Let c be a real number, and let z_1 and z_2 be the two complex numbers satisfying the equation $z^2 - cz + 10 = 0$. Points z_1 , z_2 , $\frac{1}{z_1}$, and $\frac{1}{z_2}$ are the vertices of (convex) quadrilateral Q in the complex plane. When the area of Q obtains its maximum possible value, c is closest to which of the following?

- (A) 4.5 (B) 5 (C) 5.5 (D) 6 (E) 6.5

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 23

Not yet answered

Points out of 6

Let h_n and k_n be the unique relatively prime positive integers such that

$$\frac{1}{1} + \frac{1}{2} + \frac{1}{3} + \cdots + \frac{1}{n} = \frac{h_n}{k_n}.$$

Let L_n denote the least common multiple of the numbers $1, 2, 3, \dots, n$. For how many integers n with $1 \leq n \leq 22$ is $k_n < L_n$?

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 24

Not yet answered

Points out of 6

How many strings of length 5 formed from the digits 0, 1, 2, 3, 4 are there such that for each $j \in \{1, 2, 3, 4\}$, at least j of the digits are less than j ? (For example, 02214 satisfies this condition because it contains at least 1 digit less than 1, at least 2 digits less than 2, at least 3 digits less than 3, and at least 4 digits less than 4. The string 23404 does not satisfy the condition because it does not contain at least 2 digits less than 2.)

(A) 500 (B) 625 (C) 1089 (D) 1199 (E) 1296

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 25

Not yet answered

Points out of 6

A circle with integer radius r is centered at (r, r) . Distinct line segments of length c_i connect points $(0, a_i)$ to $(b_i, 0)$ for $1 \leq i \leq 14$ and are tangent to the circle, where a_i, b_i , and c_i are all positive integers and $c_1 \leq c_2 \leq \dots \leq c_{14}$. What is the ratio $\frac{c_{14}}{c_1}$ for the

least possible value of r ?

(A) $\frac{21}{5}$ (B) $\frac{85}{13}$ (C) 7 (D) $\frac{39}{5}$ (E) 17

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

2022 AMC 12A

Answer key

1 D	2 E	3 B	4 B	5 C
6 D	7 D	8 A	9 A	10 E
11 E	12 B	13 A	14 C	15 D
16 D	17 A	18 A	19 D	20 B
21 E	22 A	23 D	24 E	25 E



2022 AMC 12B

For more practice and resources, visit ziml.aretteam.org

The problems in the AMC-Series Contests are copyrighted
by American Mathematics Competitions at Mathematical
Association of America (www.maa.org).



Question 1

Not yet answered

Points out of 6

Define $x \diamond y$ to be $|x - y|$ for all real numbers x and y . What is the value of

$$(1 \diamond (2 \diamond 3)) - ((1 \diamond 2) \diamond 3)?$$

- (A) -2 (B) -1 (C) 0 (D) 1 (E) 2

Select one:


- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 2

Not yet answered

Points out of 6

In rhombus $ABCD$, point P lies on segment $\overline{AD}$ so that $\overline{BP} \perp \overline{AD}$, $AP = 3$, and $PD = 2$. What is the area of $ABCD$? (Note: The figure is not drawn to scale.)



- (A) $3\sqrt{5}$ (B) 10 (C) $6\sqrt{5}$ (D) 20 (E) 25

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 3

Not yet answered

Points out of 6

How many of the first ten numbers of the sequence $121, 11211, 1112111, \dots$ are prime numbers?

- (A) 0 (B) 1 (C) 2 (D) 3 (E) 4

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 4

Not yet answered

Points out of 6

For how many values of the constant k will the polynomial $x^2 + kx + 36$ have two distinct integer roots?

(A) 6 (B) 8 (C) 9 (D) 14 (E) 16

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 5

Not yet answered

Points out of 6

The point $(-1, -2)$ is rotated 270° counterclockwise about the point $(3, 1)$. What are the coordinates of its new position?

(A) $(-3, -4)$ (B) $(0, 5)$ (C) $(2, -1)$ (D) $(4, 3)$ (E) $(6, -3)$

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 6

Not yet answered

Points out of 6

Consider the following 100 sets of 10 elements each:

$$\begin{aligned} &\{1, 2, 3, \dots, 10\}, \\ &\{11, 12, 13, \dots, 20\}, \\ &\{21, 22, 23, \dots, 30\}, \\ &\vdots \\ &\{991, 992, 993, \dots, 1000\}. \end{aligned}$$

How many of these sets contain exactly two multiples of 7?

(A) 40 (B) 42 (C) 43 (D) 49 (E) 50

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 7

Not yet answered

Points out of 6

Camila writes down five positive integers. The unique mode of these integers is 2 greater than their median, and the median is 2 greater than their arithmetic mean. What is the least possible value for the mode?

(A) 5 (B) 7 (C) 9 (D) 11 (E) 13

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 8

Not yet answered

Points out of 6

What is the graph of $y^4 + 1 = x^4 + 2y^2$ in the coordinate plane?

(A) two intersecting parabolas (B) two nonintersecting parabolas (C) two intersecting circles
(D) a circle and a hyperbola (E) a circle and two parabolas

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 9

Not yet answered

Points out of 6

The sequence $a_0, a_1, a_2, \dots$ is a strictly increasing arithmetic sequence of positive integers such that

$$2^{a_7} = 2^{27} \cdot a_7.$$

What is the minimum possible value of a_2 ?

(A) 8 (B) 12 (C) 16 (D) 17 (E) 22

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 10

Not yet answered

Points out of 6

Regular hexagon $ABCDEF$ has side length 2. Let G be the midpoint of $\overline{AB}$, and let H be the midpoint of $\overline{DE}$. What is the perimeter of $GCHF$?

(A) $4\sqrt{3}$ (B) 8 (C) $4\sqrt{5}$ (D) $4\sqrt{7}$ (E) 12

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 11

Not yet answered

Points out of 6

Let $f(n) = \left(\frac{-1 + i\sqrt{3}}{2}\right)^n + \left(\frac{-1 - i\sqrt{3}}{2}\right)^n$, where $i = \sqrt{-1}$. What is $f(2022)$?

(A) -2 (B) -1 (C) 0 (D) $\sqrt{3}$ (E) 2

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 12

Not yet answered

Points out of 6

Kayla rolls four fair 6-sided dice. What is the probability that at least one of the numbers Kayla rolls is greater than 4 and at least two of the numbers she rolls are greater than 2?

(A) $\frac{2}{3}$ (B) $\frac{19}{27}$ (C) $\frac{59}{81}$ (D) $\frac{61}{81}$ (E) $\frac{7}{9}$

Select one:


- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 13

Not yet answered

Points out of 6

The diagram below shows a rectangle with side lengths 4 and 8 and a square with side length 5. Three vertices of the square lie on three different sides of the rectangle, as shown. What is the area of the region inside both the square and the rectangle?



- (A) $15\frac{1}{8}$ (B) $15\frac{3}{8}$ (C) $15\frac{1}{2}$ (D) $15\frac{5}{8}$ (E) $15\frac{7}{8}$

Select one:

- ☐ A
☐ B
☐ C
☐ D
☐ E
☐ Leave blank (1.5 points)

Question 14

Not yet answered

Points out of 6

The graph of $y = x^2 + 2x - 15$ intersects the x -axis at points A and C and the y -axis at point B . What is $\tan(\angle ABC)$?

- (A) $\frac{1}{7}$ (B) $\frac{1}{4}$ (C) $\frac{3}{7}$ (D) $\frac{1}{2}$ (E) $\frac{4}{7}$

Select one:

- ☐ A
☐ B
☐ C
☐ D
☐ E
☐ Leave blank (1.5 points)

Question 15

Not yet answered

Points out of 6

One of the following numbers is not divisible by any prime number less than 10. Which is it?

- (A) $2^{606} - 1$ (B) $2^{606} + 1$ (C) $2^{607} - 1$
(D) $2^{607} + 1$ (E) $2^{607} + 3^{607}$

Select one:

- ☐ A
☐ B
☐ C
☐ D
☐ E
☐ Leave blank (1.5 points)

Question 16

Not yet answered

Points out of 6

Suppose x and y are positive real numbers such that

$$x^y = 2^{64} \text{ and } (\log_2 x)^{\log_2 y} = 2^7.$$

What is the greatest possible value of $\log_2 y$?

- (A) 3 (B) 4 (C) $3 + \sqrt{2}$ (D) $4 + \sqrt{3}$ (E) 7

Select one:

- ☐ A
☐ B
☐ C
☐ D
☐ E
☐ Leave blank (1.5 points)

Question 17

Not yet answered

Points out of 6

How many 4×4 arrays whose entries are 0s and 1s are there such that the row sums (the sum of the entries in each row) are 1, 2, 3, and 4, in some order, and the column sums (the sum of the entries in each column) are also 1, 2, 3, and 4, in some order? For example, the array

$$\begin{bmatrix} 1 & 1 & 1 & 0 \\ 0 & 1 & 1 & 0 \\ 1 & 1 & 1 & 1 \\ 0 & 1 & 0 & 0 \end{bmatrix}$$

satisfies the condition.

- (A) 144 (B) 240 (C) 336 (D) 576 (E) 624

Select one:


- ☐ A
☐ B
☐ C
☐ D
☐ E
☐ Leave blank (1.5 points)

Question 18


Not yet answered

Points out of 6

Each square in a 5×5 grid is either filled or empty, and has up to eight adjacent neighboring squares, where neighboring squares share either a side or a corner. The grid is transformed by the following rules: Any filled square with two or three filled neighbors remains filled. Any empty square with exactly three filled neighbors becomes a filled square. All other squares remain empty or become empty. A sample transformation is shown in the figure below.



Suppose the 5×5 grid has a border of empty squares surrounding a 3×3 subgrid. How many initial configurations will lead to a transformed grid consisting of a single filled square in the center after a single transformation? (Rotations and reflections of the same configuration are considered different.)



- (A) 14 (B) 18 (C) 22 (D) 26 (E) 30

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 19

Not yet answered

Points out of 6

In $\triangle ABC$ medians $\overline{AD}$ and $\overline{BE}$ intersect at G and $\triangle AGE$ is equilateral. Then $\cos(C)$ can be written as $\frac{m\sqrt{p}}{n}$, where m and n are relatively prime positive integers and p is a positive integer not divisible by the square of any prime. What is $m + n + p$?

- (A) 44 (B) 48 (C) 52 (D) 56 (E) 60

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 20

Not yet answered

Points out of 6

Let $P(x)$ be a polynomial with rational coefficients such that when $P(x)$ is divided by the polynomial $x^2 + x + 1$, the remainder is $x + 2$, and when $P(x)$ is divided by the polynomial $x^2 + 1$, the remainder is $2x + 1$. There is a unique polynomial of least degree with these two properties. What is the sum of the squares of the coefficients of that polynomial?

- (A) 10 (B) 13 (C) 19 (D) 20 (E) 23

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 21

Not yet answered

Points out of 6

Let S be the set of circles in the coordinate plane that are tangent to each of the three circles with equations $x^2 + y^2 = 4$, $x^2 + y^2 = 64$, and $(x - 5)^2 + y^2 = 3$. What is the sum of the areas of all circles in S ?

- (A) 48π (B) 68π (C) 96π (D) 102π (E) 136π

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 22

Not yet answered

Points out of 6

Ant Amelia starts on the number line at 0 and crawls in the following manner. For $n = 1, 2, 3$, Amelia chooses a time duration t_n and an increment x_n independently and uniformly at random from the interval $(0, 1)$. During the n th step of the process, Amelia moves x_n units in the positive direction, using up t_n minutes. If the total elapsed time has exceeded 1 minute during the n th step, she stops at the end of that step; otherwise, she continues with the next step, taking at most 3 steps in all. What is the probability that Amelia's position when she stops will be greater than 1?

- (A) $\frac{1}{3}$ (B) $\frac{1}{2}$ (C) $\frac{2}{3}$ (D) $\frac{3}{4}$ (E) $\frac{5}{6}$

Select one:

- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 23

Not yet answered

Points out of 6

Let $x_0, x_1, x_2, \dots$ be a sequence of numbers, where each x_k is either 0 or 1. For each positive integer n , define

$$S_n = \sum_{k=0}^{n-1} x_k 2^k$$

Suppose $7S_n \equiv 1 \pmod{2^n}$ for all $n \geq 1$. What is the value of the sum

$$x_{2019} + 2x_{2020} + 4x_{2021} + 8x_{2022}$$

(A) 6 (B) 7 (C) 12 (D) 14 (E) 15

Select one:


- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 24

Not yet answered

Points out of 6

The figure below depicts a regular 7-gon inscribed in a unit circle.



What is the sum of the 4th powers of the lengths of all 21 of its edges and diagonals?

(A) 49 (B) 98 (C) 147 (D) 168 (E) 196

Select one:


- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ Leave blank (1.5 points)

Question 25

Not yet answered

Points out of 6

Four regular hexagons surround a square with side length 1, each one sharing an edge with the square, as shown in the figure below. The area of the resulting 12-sided outer nonconvex polygon can be written as $m\sqrt{n} + p$, where m , n , and p are integers and n is not divisible by the square of any prime. What is $m + n + p$?



- (A) -12 (B) -4 (C) 4 (D) 24 (E) 32

Select one:

☐ A☐ B☐ C☐ D☐ E☐ Leave blank (1.5 points)

2022 AMC 12B

Answer key

1 A	2 D	3 A	4 B	5 B
6 B	7 D	8 D	9 B	10 D
11 E	12 D	13 D	14 E	15 C
16 C	17 D	18 C	19 A	20 E
21 E	22 C	23 A	24 C	25 B