OXFORD AQA

INTERNATIONAL QUALIFICATIONS

Please write clearly in block capitals.

Centre number | | | | | | Candidate number | | | | |

Surname _____

Forename(s) _____

Candidate signature _____

I declare this is my own work.

INTERNATIONAL A-LEVEL
FURTHER MATHEMATICS

(9665/FM03) Unit FP2 Pure Mathematics

Thursday 11 January 2024 07:00 GMT Time allowed: 2 hours 30 minutes

Materials
- For this paper you must have the OxfordAQA Booklet of Formulae and Statistical Tables (enclosed).
- You may use a graphical calculator.

Instructions
- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information
- The marks for questions are shown in brackets.
- The maximum mark for this paper is 120.

Advice
- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- Show all necessary working; otherwise marks may be lost.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
TOTAL	

Answer **all** questions in the spaces provided.

Do not write outside the box

1 The line L has Cartesian equations $\frac{x-1}{2} = \frac{y-4}{5} = \frac{2z-3}{4}$

The plane Π has Cartesian equation $x + 2y + 3z = 18$

The line L intersects the plane Π at the point A

Find the Cartesian coordinates of A

[3 marks]

Answer _____

3

Do not write outside the box

2 (a) Express the complex number $-2\sqrt{3} + 2\mathrm{i}$ in the form $r\,\mathrm{e}^{\mathrm{i}\theta}$ where $r > 0$ and $0 \leq \theta < 2\pi$

[2 marks]

Answer _____

2 (b) Solve the equation

$$z^4 = -2\sqrt{3} + 2\mathrm{i}$$

giving your solutions in the form $r\,\mathrm{e}^{\mathrm{i}\theta}$ where $r > 0$ and $0 \leq \theta < 2\pi$

[4 marks]

Answer _____

6

Do not write outside the box

3 (a) (i) Find the gradient of the curve $y = \tanh^{-1} x$ when $x = 0$

[1 mark]

Answer _____

3 (a) (ii) Sketch the curve $y = \tanh^{-1} x$ for $|x| < 1$ on the axes below.

[1 mark]



Do not write outside the box

3 (b) By forming and solving a quadratic equation, find the values of x that satisfy

$$\tanh^{-1}\left(\frac{1+x}{2}\right) + \tanh^{-1}\left(\frac{1-x}{2}\right) = \frac{3}{2}\ln 3 - \frac{1}{2}\ln 2$$

[5 marks]

Answer _____

7

Do not write outside the box

4 By expressing $\frac{r^2+r+1}{r(r+1)}$ in the form $A+\frac{B}{r}+\frac{C}{r+1}$ where A, B and C are integers, use the method of differences to show that

$$\sum_{r=1}^{n}\frac{r^2+r+1}{r(r+1)}=1+n-\frac{1}{n+1}$$

[6 marks]

6

Do not write outside the box

5 Find the solution of the differential equation

$$\cos x \frac{\mathrm{d}y}{\mathrm{d}x} + y = \cos^2 x + \sin x \qquad \text{where} \quad 0 \leq x < \frac{\pi}{2}$$

given that $y = 1$ when $x = \frac{\pi}{3}$

Give your answer in the form $y = \mathrm{f}(x)$

[6 marks]

$y =$ _____

6

Turn over ►

Do not write outside the box

6 (a) Find the first three non-zero terms in the Maclaurin series expansion in ascending powers of x of $\cos(2x)$

[1 mark]

Answer

6 (b) Hence find the Maclaurin series expansion of $e^{\cos(2x)-1}$ in ascending powers of x up to and including x^4

[2 marks]

Answer

Do not write outside the box

6 (c) Hence show that $\lim_{x \to 0} \left(\frac{\mathrm{e} - \mathrm{e}^{\cos(2x)}}{x^2} \right) = k\,\mathrm{e}$ where k is a constant.

[3 marks]

Answer _____

6

Turn over for the next question

Do not write outside the box

7 (a) Explain why $\int_3^\infty \frac{x-3}{e^x}\,dx$ is an improper integral.

[1 mark]

7 (b) Find the exact value of the improper integral

$$\int_3^\infty \frac{x-3}{e^x}\,dx$$

showing the limiting process used.

[5 marks]

Do not write outside the box

Answer _____

6

Turn over for the next question

Do not write outside the box

8 (a) Prove by induction that, for all integers $n \geq 1$

$$\sum_{r=1}^{n} \left(r^3 + 3r^5\right) = \frac{1}{2}n^3(n+1)^3$$

[5 marks]

Do not write outside the box

8 (b) Hence show that

$$\sum_{r=1}^{3N} r^5 = \frac{3}{4}N^2\left(3N+1\right)^2\left(18N^2+6N-1\right)$$

where N is a positive integer.

[3 marks]

8

Do not write outside the box

9 The transformation T is represented by the non-singular matrix

$$\mathbf{M} = \begin{bmatrix} -1 & 4 & k \\ 2 & 3 & 6 \\ 1 & 3 & -2 \end{bmatrix}$$

where k is an integer.

9 (a) In the case when T has a line of invariant points:

9 (a) (i) find the value of k

[3 marks]

Answer _____

9 (a) (ii) find the Cartesian equations of the line of invariant points.

[2 marks]

Answer _____

Do not write outside the box

9 (b) Find $\mathbf{M}^{-1}$ in terms of k

[6 marks]

Answer _____

11

Do not write outside the box

10 (a) Find the general solution of the differential equation

$$\frac{\mathrm{d}^2y}{\mathrm{d}x^2} + 2\frac{\mathrm{d}y}{\mathrm{d}x} + y = \sin 4x + 38\cos 4x$$

[6 marks]

Answer _____

Do not write outside the box

10 (b) It is given that $y = \mathrm{f}(x)$ is the solution of the differential equation

$$\frac{\mathrm{d}^2y}{\mathrm{d}x^2} + 2\frac{\mathrm{d}y}{\mathrm{d}x} + y = \sin 4x + 38\cos 4x$$

It is also given that the first two non-zero terms in the Maclaurin series expansion in ascending powers of x of $\mathrm{f}(x)$ are $4 + 17x^2$

Find the value of $\mathrm{f}\left(\frac{\pi}{16}\right)$ giving your answer in a simplified exact form.

[4 marks]

Answer _____

10

Turn over ►

Do not write outside the box

11 The plane Π_1 has equation $\mathbf{r} = \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix} + \lambda \begin{bmatrix} -1 \\ 1 \\ 4 \end{bmatrix} + \mu \begin{bmatrix} 1 \\ -3 \\ 4 \end{bmatrix}$

11 (a) Find the sum of the direction cosines of a line perpendicular to the plane Π_1

[5 marks]

Answer _____

Do not write outside the box

11 (b) The plane Π_2 has equation $\mathbf{r} \bullet \begin{bmatrix} 6 \\ c \\ 2 \end{bmatrix} = 14$ where c is a constant.

The line L is the line of intersection of the planes Π_1 and Π_2

The equation of the line L is $\left(\mathbf{r} - \begin{bmatrix} p \\ q \\ 7 \end{bmatrix} \right) \times \begin{bmatrix} 2 \\ -5 \\ 4 \end{bmatrix} = \mathbf{0}$ where p and q are constants.

Find the value of c, the value of p and the value of q

[6 marks]

$c =$ _____ $p =$ _____ $q =$ _____

11

Do not write outside the box

12 (a) Use de Moivre's theorem to show that

$$\cos 5\theta = 16\cos^5\theta + a\cos^3\theta + b\cos\theta$$

where a and b are integers.

[5 marks]

12 (b) **Hence** prove that the quartic equation whose roots are

$$\cos\frac{2\pi}{5}, \quad \cos\frac{4\pi}{5}, \quad \cos\frac{6\pi}{5} \quad \text{and} \quad \cos\frac{8\pi}{5}$$

is

$$16x^4 + 16x^3 + kx^2 + kx + 1 = 0$$

where k is an integer.

[4 marks]

Do not write outside the box

12 (c) **Hence** use the equation in **part (b)** to find the quadratic equation with integer coefficients whose roots are $\cos\frac{2\pi}{5}$ and $\cos\frac{6\pi}{5}$

[4 marks]

Answer _____

13

Do not write outside the box

13 A curve C is given parametrically by the equations

$$x = \tanh t \quad \text{and} \quad y = \frac{1}{\cosh t} \quad \text{for all real values of } t$$

The length of the arc of C between the points on the curve where $t = -1$ and $t = 1$ is equal to s

13 (a) (i) Prove that $s = \int_{-1}^{1} \operatorname{sech} t \, \mathrm{d}t$

[5 marks]

Do not write outside the box

13 (a) (ii) **Hence** find the exact value of s giving your answer in terms of e

[4 marks]

Answer _____

13 (b) Find the Cartesian equation of the curve C and state as inequalities the possible values of x and the possible values of y

[3 marks]

Cartesian equation _____

Values of x _____

Values of y _____

12

Do not write outside the box

14 **Figure 1** shows an ellipse E and a curve C which intersect at the points P and Q

The pole O and the initial line are also shown.

Figure 1



The Cartesian equation of the ellipse E is

$$5x^2 + 9y^2 = 36 - 24x$$

The polar equation of the curve C is

$$r = 5 + 4\cos\theta \quad \text{where} \quad -\pi \leq \theta \leq \pi$$

14 (a) Show that the polar equation of the ellipse E is $r = \dfrac{6}{3 + 2\cos\theta}$

[4 marks]

Do not write outside the box

14 (b) Show that the area of triangle OPQ is $\frac{9\sqrt{3}}{4}$

[4 marks]

Question 14 continues on the next page

Do not write outside the box

14 (c) **Figure 2** shows an enhanced version of part of **Figure 1**.

The line segment PQ intersects the curve C at the points S and T

The finite region bounded by the line segment ST and the curve C is shaded.

Figure 2



Find the area of the shaded region.

Give your answer in the form $a\sqrt{n}+m\cos^{-1}(b)$ where n and m are integers and a and b are rational.

[7 marks]

Do not write outside the box

Answer _____

15

END OF QUESTIONS

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.oxfordaqa.com

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and OxfordAQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2024 OxfordAQA International Examinations and its licensors. All rights reserved.